	Application No.	Applicant(s)
Notice of Allowability	10/593,219	SHAW, ANDREW MARK
	Examiner	Art Unit
	RYAN LEPISTO	2883
- The MAILING DATE of this communication appears on the cover sheet with the correspondence address— All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed 12/9/08.		
2. The allowed claim(s) is/are 68-74.		
 3.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		-
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Dat 7. Examiner's Amendn	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. X Examiner's Stateme	nt of Reasons for Allowance
•	9. Other	

Art Unit: 2883

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Cancel claims 65-67 and 75-117.

DETAILED ACTION

Election/Restrictions

This application is in condition for allowance except for the presence of claims 65-67 and 75-117 directed to species non-elected without traverse. Accordingly, claims 65-67 and 75-117 have been cancelled.

Allowable Subject Matter

Claims 68-74 are allowed.

The following is an examiner's statement of reasons for allowance:

With regard to claim 68: This claim is allowable over the prior art of record because the latter, either alone or in combination, does not disclose nor render obvious an evanescent-wave cavity-based optical sensor system comprising an optical cavity formed by a pair of highly reflective surfaces, one or more totally internally reflecting (TIR) surfaces in an optical path between the reflective surfaces, a reflection from the TIR surface generating an evanescent wave

Art Unit: 2883

to provide an attenuated TIR sensing function, a light source to optically excite the cavity at two different wavelengths, a detector to monitor a ring-down characteristic of the cavity and wherein one or more TIR surfaces are provided with at least two functionalising materials one responsive at each of the wavelengths such that an interaction between a functionalising material and one or more targets to be sensed is detectable as a change in absorption of the evanescent wave at a wavelength, in combination with the rest of the claimed limitations.

With regard to claims 69-74: These claims are allowable over the prior art of record because they depend from an allowable claim.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ryan Lepisto whose telephone number is (571) 272-1946. The examiner can normally be reached on M-Th 7:30 AM - 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank Font can be reached on (571) 272-2415. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/593,219

Art Unit: 2883

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Ryan Lepisto/ Examiner, Art Unit 2883 /Frank G Font/ Supervisory Patent Examiner, Art Unit 2883

Page 4